

PRESENTATION PROJECTORS

3-Year Express Warranty

Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
PORTABLE - ULTRA														
TX330	\$799	—	2.4 lb 8" x 2.5" x 6.1"	2200	2000:1	1024 x 768	5000/3000	1.95 to 2.15	22.9" to 302"	Manual Zoom and Focus	—	HDMI, VGA, S-Video, Composite Video, USB	—	—
TW330	\$899	—		2200	2000:1	1280 x 800	5000/3000	1.55 to 1.7	27.3" to 359"					
TX7156	\$849	—	3.2 lb 8.66" x 2.79" x 7.0"	3000	2500:1	1024 x 768	3000/2000	1.8 to 2.2	26.87" to 311.1"	Manual Zoom and Focus	1-Watt Speaker	HDMI, VGA-In, S-Video, Composite Video, Stereo Audio-In, USB	—	—
TW1692	\$949	—		3000	2500:1	1280 x 800	3000/2000	1.5 to 1.76	30.95" to 371.42"					
PORTABLE - ENTRY														
DS339*	No MAP		5 lb 11.3" x 3.5" x 9.3"	2600	5000:1	800 x 600	6500/4500	1.95 to 2.15	22.9" to 300"	Manual Zoom and Focus	2-Watt Speaker	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Audio-In, Audio-Out, USB-B	RS-232	—
DX339*	No MAP			2600	5000:1	1024 x 768		1.95 to 2.15	22.9" to 300"					
DW339*	No MAP			2600	5000:1	1280 x 800		1.55 to 1.7	27.2" to 301"					
TS551	\$429		4.9 lb 11" x 3.0" x 9.0"	2800	3500:1	800 x 600	6000/5000	1.97 to 2.17	30" to 300"	Manual Zoom and Focus	2-Watt Speaker	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Audio-In, Stereo Audio-In/Out, USB Type B	RS-232	—
TX551	\$479			2800	3500:1	1024 x 768								
TW556-3D	\$599		5 lb 11.3" x 3.5" x 9.3"	2800	10,000:1	1280 x 800	6500/4500	1.55 to 1.7	27.2" to 301"	Manual Zoom and Focus	2-Watt Speaker	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Audio-In/Out, USB-B	RS-232	—
TX542-3D	No MAP		6.4 lb 12.8" x 3.8" x 9.2"	2800	3000:1	1024 x 768	6000/5000	1.6 to 1.92	30 to 307"	Manual Zoom and Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Three Stereo Audio-In, Stereo Audio-out, USB	RS-232, RJ45	Wireless via optional VGA dongle
DW312*	\$599		5 lb 11.3" x 4.0" x 7.6"	3200	3000:1	1280 x 800	6000/3000	1.55 to 1.7	27.2" to 301"	Manual Zoom and Focus	2-Watt Speaker	HDMI, VGA-In, VGA-Out, S-Video, Composite Video, Stereo Audio-In, Stereo Audio-out	RS-232	—



TX542-3D



DW312



TW1692



TX779P-3D

*D series, ML series, Home series, and Pico projectors have One Year Warranty.

PRESENTATION PROJECTORS (continued)



3-Year Express Warranty

Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
PORTABLE - CONFERENCE														
TX631-3D	\$599		4.9 lbs 11" x 3.08" x 9.06"	3500	10,000:1	1024 x 768	6000/3500	1.97 to 2.17	30" to 300"	Manual Zoom and Focus	7-Watt Speaker	HDMI, Two VGA-In, VGA-Out, Composite Video, Audio-In/Out, mini-USB, S-Video	RS-232, RJ45	Wireless via optional VGA dongle
TW631-3D	\$699			3500	10,000:1	1280 x 800		1.47 to 1.81						
TX635-3D	\$699		4.4 lbs 11.3" x 3.0" x 8.6"	3500	10,000:1	1024 x 768	6000/3000	1.6 to 1.92	30" to 307"	Manual Zoom and Focus	10-Watt Speaker	HDMI, Two VGA-In, VGA-Out, Composite Video, Two Audio-In, Audio-Out, Mic-In, USB Type B for mouse, USB Type A for wireless or thumb drive, mini-USB Type B for display, S-Video	RS-232, RJ45	Wired and wireless (optional USB dongle)
TW635-3D	\$799			3500	10,000:1	1280 x 800		1.28 to 1.536						
TX762	\$999		6.4 lb 12.76" x 3.82" x 9.21"	4000	3000:1	1024 x 768	3000/2000	1.6 to 1.92	30" to 307"	Manual Zoom and Focus	8-Watt Speaker	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Three Stereo Audio-In, Stereo Audio-out, USB, 12V Trigger	RS-232, RJ45	Wireless via optional VGA dongle
TW762	\$1,099			4000	3000:1	1280 x 800		4000/3000						
TX779P-3D	\$1,599		7.8 lb 12.8" x 4.29" x 10.19"	5000	3000:1	1024 x 768	3000/2000	1.8 to 2.1	23.4" to 300"	Manual Zoom and Focus	3-Watt Speaker	HDMI, Two VGA-In, VGA-Out, DVI-D, S-Video, Composite Video, Stereo RCA Audio-In, Stereo Audio-In/Out, USB, 12V Trigger	RS-232, RJ45	—
1080p DATA														
TH1020	\$1,099	—	6.4 lb 12.76" x 3.82" x 9.21"	3000	2200:1	1920 x 1080	4000/3000	1.5 to 1.8	37.6" to 301.1"	Manual Zoom and Focus	8-Watt Speaker	HDMI, VGA-In, VGA-Out, S-Video, Composite Video Stereo RCA Audio-in, Stereo Audio-In/Out, USB, 12V Trigger	RS-232	—
TH1060P	\$1,499	—	7.8 lb 12.8" x 4.29" x 10.19"	4500	2500:1	1920 x 1080	3000/2000	1.59 to 1.91	23.6" to 300"	Manual Zoom and Focus	3-Watt Speaker	Two HDMI, VGA-In, VGA-Out, Component, S-Video, Composite Video, Stereo RCA Audio-In, Stereo Audio-In/Out, USB, 12V Trigger	RS-232, RJ45	—
INTEGRATED WIRELESS														
TX765W**	\$1,499	—	12 lb 14.3" x 5" x 11.1"	4000	2500:1	1024 x 768	3000/2000	1.62 to 2.64	22.4" to 303.9"	PureShift Technology, 1.6x Zoom, Manual Zoom, Focus & Lens Shift	2 x 2-Watt Speakers	HDMI, DVI-D w/HDCP, Two VGA-In, VGA-Out, S-Video, Composite Video, Two Stereo Audio-In, RCA Audio-In, Stereo Audio-Out, USB, 12V Trigger	RS-232, RJ45	Built-in support for wired and wireless presentation
TW766W**	\$1,599	—	12 lb 14.3" x 5" x 11.1"	4000	2500:1	1280 x 800	3000/2000	1.57 to 2.39	23.2" to 295.7"					

**Additional authorization may be required to resell these restricted Optoma products. No outbound EDI feed to resellers, no internet resellers.

TAA COMPLIANT PROJECTORS - Country of Origin: Taiwan



3-Year Express Warranty

Model	MAP	3D	Weight / Dimensions (W x H x D)	LED Lumens	Contrast (Full On/Off)	Native Resolution	LED Life	Throw Ratio	Image Size (Diagonal)	Memory	Speakers /Audio	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
TL50W-GOV**	\$729		2.5 lb 8.7" x 1.7" x 6.7"	500	3000:1	1280 x 800	20,000 + hours	1.4	17" to 180"	2GB Internal, SD Slot, USB Flash Drive Input	2-Watt Speaker	VGA-In, miniUSB, USB, HDMI, Composite, S-video, Audio-In	—	mini USB WiFi Dongle included
Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
TX762-GOV**	\$1,049		6.4 lb 12.8" x 3.8" x 9.2"	4000	3000:1	1024 x 768	3000/2000	1.6 to 1.92	30" to 307"	Manual Zoom and Focus	8-Watt Speaker	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Three Stereo Audio-In, Stereo Audio-out, USB, 12V Trigger	RS-232, RJ45	Wireless via optional VGA dongle
TW762-GOV**	\$1,149			4000	3000:1	1280 x 800	4000/3000	1.28 to 1.54	36.3" to 362"					
TX615-GOV**	\$849		6.4 lb 12.8" x 3.8" x 9.2"	3500	3000:1	1024 x 768	4000/3000	1.95 to 2.15	27.5" to 303"	Manual Zoom and Focus	10-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, Three Stereo Audio-In, Stereo Audio-Out, USB, 12V Trigger	RS-232, RJ45	Wireless via optional VGA dongle
TW615-GOV**	\$949			3500	3000:1	1280 x 800	4000/3000	1.28 to 1.54	36.3" to 362"					



TL50W-GOV



TX762-GOV



TW610ST+



TW865-NL

**Additional authorization may be required to resell these restricted Optoma products. No outbound EDI feed to resellers, no internet resellers.



ULTRA SHORT THROW / SHORT THROW PROJECTORS



3-Year Express Warranty

Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
INTERACTIVE ULTRA SHORT THROW - Includes PointBlank Interactive Pen														
TX665UTiM-3D (with Mount)	\$1,599		16.7 lb 16.8" x 8.27" x 16"	3000	3000:1	1024 x 768	3000/2500	0.38	63" to 85"	Manual Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, RCA Stereo Audio-In, Stereo Audio-In/Out, Microphone-In, 12V Trigger, Mini-USB for Interactive Pen Output to Computer, Mini-USB for Display, USB Type A (wireless/flash drive)	RS-232, RJ45	Wired and wireless (optional USB dongle)
TW695UTi-3D	\$1,499		16.8 lb 16.8" x 8.27" x 16"	3500	3000:1	1280 x 800	3000/2500	0.3	77" to 100"					
INTERACTIVE SHORT THROW - Includes PointBlank Interactive Pen														
TW610STi+	\$999		6.9 lb 12" x 4.5" x 9.6"	3200	3000:1	1280 x 800	4000/3000	0.52	44.6" to 222.8"	Manual Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S-Video, Composite Video, RCA Stereo Audio-In, Stereo Audio-Out, Microphone-in, mini-USB for Interactive Pen Output to Computer, mini-USB for Display, 12V Trigger, USB Type A (wireless/flash drive)	RS-232, RJ45	Wired and wireless (optional USB dongle)
NON-INTERACTIVE ULTRA SHORT THROW / SHORT THROW														
TX665UST-3D	\$1,299		16.7 lb 16.8" x 8.3" x 16"	3000	3000:1	1024 x 768	3000/2500	0.38	63" to 85"	Manual Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S Video, Composite Video, RCA Stereo Audio-In, Stereo Audio-In/Out, Microphone-In, 12V Trigger, Mini-USB for Display, USB Type A (wireless/flash drive)	RS-232, RJ45	Wired and wireless (optional USB dongle)
TW695UT-3D	\$1,299		16.8 lb 16.8" x 8.3" x 16"	3500	3000:1	1280 x 800	3000/2500	0.3	77" to 100"	Manual Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S Video, Composite Video, RCA Stereo Audio-In, Stereo Audio-In, Stereo Audio-Out, mini USB, Microphone-In, 12V Trigger	RS-232, RJ45	Wired and wireless (optional USB dongle)
TX610ST	\$849		6.9 lb 12" x 4.5" x 9.6"	3000	3000:1	1024 x 768	4000/3000	0.626	39.3" to 196.5"	Manual Focus	2 x 5-Watt Speakers	HDMI, Two VGA-In, VGA-Out, S Video, Composite Video, RCA Stereo Audio-In, Stereo Audio-In, Stereo Audio-Out, Microphone-In, USB	RS-232, RJ45	—
TW610ST	\$899			3100		1280 x 800		0.52	44.6" to 222.8"					




LARGE VENUE PROJECTORS



3-Year Express Warranty




Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs	Comm and Control
TX785**	\$2,799		18.1 lb 16.9" x 7.1" x 13.4"	5000	2000:1	1024 x 768	3000/2000	See Lens Chart Below			2 x 3-Watt Speakers	HDMI, DVI-D w/ HDCP, Two VGA-In, VGA-Out, S-Video, Composite Video, Component Video, Five BNC (RGBHV/YPbPr), Three Stereo Mini Jack Audio-In, Two RCA Stereo Audio-In, Audio-Out, USB, and Two 12V Triggers	RS-232, RJ45
TW775**	\$2,799		18.1 lb 16.9" x 7.1" x 13.4"	4500	2000:1	1280 x 800	3000/2000	See Lens Chart Below			2 x 3-Watt Speakers		RS-232, RJ45
TW865-NL**	\$3,999		40.3 lb 21.3" x 7.8" x 16.5"	6000	4000:1	1280 x 800	2000/1500	See Lens Chart Below			—		HDMI, DVI, Two VGA-In, VGA-Out, S-Video, Composite, Component, RGBHV, BNC, Two Stereo Audio-In, RCA Audio-In, Stereo Audio-Out, USB Type A (wireless/flash drive), Wired Remote In/Out, 12V Trigger
TH7500-NL**	\$7,999	—	51.4 lb 21.6" x 9.3" x 17.2"	6000	2000:1	1920 x 1200	2500/2000	See Lens Chart Below			—	Two HDMI, Two VGA-In, RGBHV BNC, YPbPr Component, S-Video, VGA-Out, 12V Trigger, Composite Video	RS-232, RJ45

LARGE VENUE LENSES



	Lens Type	Optoma Part Number	Zoom Ratio	Focal Length (f)	Throw Distance	Zoom & Focus Adjustment	Throw Ratio	Projection Image Size (Diagonal)	F Number	
TX785 / TW775 Lenses	Short Throw	BX-DL080	Fixed	11.5mm	1.6' ~ 9.8' 0.5 ~ 3m	Manual	0.8	30.0" ~ 184"	2.5	 BX-DL080
	Standard Throw	BX-DL200	1.25x	22.8 ~ 28.5mm	4.9' ~ 23.0' 1.5 ~ 7m		1.60 ~ 2.00	36.8" ~ 216"	2.46 ~ 2.6	
	Long Throw	BX-DL300	1.5x	28.5 ~ 42.75mm	6.6' ~ 65.6' 2 ~ 20m		2.00 ~ 3.00	33.0" ~ 492"	2.5 ~ 3.1	
TH7500-NL Lenses	Fixed Short Throw	BX-DLWT1	Fixed	11.73mm	1.65' ~ 27.6' 0.5 ~ 8.4m	Motorized	0.78	30" ~ 500"	2.2	 BX-DLST1
	Short Throw	BX-DLWT2	1.2x	18.1 ~ 21.72mm	2.59' ~ 51.9' 0.79 ~ 15.8m		1.22 ~ 1.47		2.0 ~ 2.3	
	Standard Throw	BX-DLST1	1.33x	21.5 ~ 28.77mm	3.07' ~ 68.9' 0.94 ~ 21.0m		1.45 ~ 1.95		2.0 ~ 2.3	
	Long Throw	BX-DLTZ1	1.9x	28.6 ~ 54.33mm	4.09' ~ 131.1' 1.25 ~ 40.0m		1.93 ~ 3.71		2.2 ~ 3.0	
	Ultra Long Throw	BX-DLTZ2	1.9x	54.06 ~ 102.7mm	7.8' ~ 248.7' 2.38 ~ 75.8m		3.68 ~ 7.04		2.3 ~ 3.16	
TW865-NL Lenses	Short Throw	BX-CAA01	1.28x	14.03 ~ 12.95mm	2.8' ~ 44.9' 0.8 ~ 13.7m	Motorized	1.0 ~ 1.28	50" ~ 500"	2.3 ~ 2.57	
	Standard Throw	BX-CAA02	1.25x	18.07 ~ 22.59mm	3.6' ~ 57.2' 1.1 ~ 17.4m		1.28 ~ 1.61		2 ~ 2.3	
	Long Throw	BX-CAA03	1.9x	22.56 ~ 42.87mm	4.4' ~ 109.2' 1.34 ~ 33.3m		1.6 ~ 3.07		2.3 ~ 3.4	

**Additional authorization may be required to resell these restricted Optoma products. No outbound EDI feed to resellers, no internet resellers.

HOME THEATER PROJECTORS*

Model	MAP	3D	Weight / Dimensions (WxHxD)	ANSI Lumens	Contrast (Full On/Off)	Native Resolution	Lamp Life (STD/Bright)	Throw Ratio	Image Size (Diagonal)	Projection Lens	Speaker	Inputs/Outputs
HD66	\$599		5.1 lb 11.28" x 3.98" x 7.6"	2500	4000:1	1280 x 720	4000/3000	1.55 to 1.7	27.2" to 301"	Manual Zoom and Focus	2-Watt Speaker	HDMI, VGA-In, S-Video, Composite Video, Stereo Audio-In, RS-232
HD20	\$899	—	6.4 lb 12.76" x 3.82" x 9.21"	1700	4000:1	1920 x 1080	4000/3000	1.5 to 1.8	37.6" to 301.1"	Manual Zoom and Focus	—	Two HDMI, VGA-In, Component Video, Composite Video, 12V Trigger
HD33	\$1,399		10 lb 14.17" x 4.52" x 12.24"	1800	4000:1	1920 x 1080	4000/3000	1.5 to 1.8	37.6" to 301.1"	Manual Zoom and Focus	—	Two HDMI v1.4a, VGA-In, Component Video, Composite Video, RS-232, 12V Trigger, VESA 3D Port
GT750E	\$749		6.6 lb 12.76" x 3.82" x 9.21"	3000	3000:1	1280 x 800	4000/3000	0.72	32.2" to 322.4"	Manual Focus	2 x 5-Watt Speakers	Two HDMI, VGA-In, S-Video, Composite Video, Stereo RCA Audio-In, Stereo Audio-Out, RS-232, VESA 3D Port

LED PROJECTORS, LAMP-FREE*

Model	MAP	3D	Weight / Dimensions (W x H x D)	LED Lumens	Contrast (Full On/Off)	Native Resolution	LED Life	Throw Ratio	Image Size (Diagonal)	Speakers /Audio	Inputs/Outputs	Digital Input	Memory
PK120	\$199	N/A	5 oz 2.4" x 0.8" x 4.6"	18	2000:1	640 x 360	20,000 + hours	2.2	5" to 70"	2 x 0.5-Watt Speakers, Audio-Out	microSD, 24-pin Universal Port for VGA, 2.5mm AV Input (Composite Video and Stereo Audio-in) Micro USB, 3.5mm Audio-out	—	2GB Internal, microSD Slot
PK301+	\$379	N/A	8 oz 4.7" x 1.2" x 2.7"	75	3000:1	854 x 480	20,000 + hours	1.8	5" to 120"	0.5-Watt Speaker, Audio-Out		Mini HDMI	28MB Internal, microSD Slot
PK320	\$399	N/A	8.3 oz 4.7" x 1.2" x 2.7"	100	3000:1	854 x 480	20,000 + hours	1.8	5" to 150"	1-Watt Speaker, Audio-Out	microSD, 24-pin Universal Port for VGA, 2.5mm AV Input (Composite Video and Stereo Audio-in), Micro USB, 3.5mm Audio-out	Mini HDMI	2GB Internal, microSD Slot
ML300	\$499		1.4 lb 7.2" x 1.8" x 4.4"	300	3000:1	1280 x 800	20,000 + hours	1.5	17" to 160"	2-Watt Speaker, Audio-Out	VGA-in, 2.5mm AV Input Jack (Composite Video and Stereo Audio-in), 3.5mm Audio-out, USB, Micro USB, microSD Slot	Mini HDMI	2GB Internal, microSD Slot, USB Flash Drive Input
ML500	\$599		2.5 lb 8.7" x 1.7" x 6.7"	500	3000:1	1280 x 800	20,000 + hours	1.4	17" to 180"	2-Watt Speaker	VGA-In, miniUSB, USB, Composite, S-video, Audio-in	HDMI	2GB Internal, SD Slot, USB Flash Drive Input

*D series, ML series, Home series, and Pico projectors have One Year Warranty.

ECOBRIGHT PROJECTORS, LAMP-FREE



3-Year Express Warranty

Model	MAP	3D	Weight / Dimensions (W x H x D)	LED Lumens	Contrast (Full On/Off)	Native Resolution	LED Life	Throw Ratio	Image Size (Diagonal)	Memory	Speakers /Audio	Inputs/Outputs	Comm and Control	Wired/Wireless Presentation
TL30W**	\$549		1.4 lb 7.2" x 1.8" x 4.4"	300	3000:1	1280 x 800	20,000 + hours	1.5	17" to 160"	2GB Internal, microSD Slot, USB Flash Drive Input	2-Watt Speaker, Audio-Out	Mini HDMI, VGA-in, 2.5mm AV Input Jack (Composite Video and Stereo Audio-in), 3.5mm Audio-out, USB, Micro USB	—	mini USB WiFi Dongle included
TL50W**	\$649		2.5 lb 8.7" x 1.7" x 6.7"	500	3000:1	1280 x 800	20,000 + hours	1.4	17" to 180"	2GB Internal, SD Slot, USB Flash Drive Input	2-Watt Speaker	VGA-In, miniUSB, USB, HDMI, Composite, S-video, Audio-In	—	mini USB WiFi Dongle included
ZX212ST**	\$1,499		9.4 lb 12.6" x 3.9" x 9.1"	2300	100,000:1	1024 x 768	20,000 + hours	0.626	39.3" to 300"	SD slot	2 x 5-Watt Speakers	HDMI, VGA-in, mini-USB for display, USB for wireless, VGA-out, S-Video, Composite Video, Audio-In/Out	RJ45 and mini-din RS-232	Wired and wireless (optional USB dongle)
ZW212ST**	\$1,599			2500	100,000:1	1280 x 800	20,000 + hours	0.52	44.6" to 300"					



PK320



TL30W



ZX,ZW212ST

INTERACTIVE ACCESSORIES

Model	MAP	Weight / Dimensions (WxHxD)	Description
Q300 MirrorBoard	\$499	2.4 lb 14.57" x 0.9" x 8.57"	MirrorBoard Interactive Tablet Display, 10.1" LCD Display, 500:1 Contrast, Rechargeable with 2.5 Hours Use, Battery-Free Pen Design, WiFi Interaction with Computer, 3-Year Warranty
DC300i Document Camera	\$349	3.97 lb 6.7" x 10.5" x 14" (folded) 6.7" x 16.5" x 17.5" (setup)	Portable Gooseneck Document Camera, SXGA, 2 Megapixels, 9x Optical Zoom, 12x Digital Zoom, 5-Year Warranty



Q300 MirrorBoard



DC300i

**Additional authorization may be required to resell these restricted Optoma products. No outbound EDI feed to resellers, no internet resellers.



PROJECTOR ACCESSORIES

PROJECTOR PART NUMBER	LAMP	REMOTE	CASE	MOUNT
TX665UTiM-3D, TX665UST-3D, TW695UTi-3D, TW695UT-3D	BL-FU280C	BR-5035N	N/A	BM-3002N
TX610ST, TW610ST	BL-FP230F	BR-3054N	N/A	BM-3001N
TW610STi+	BL-FP230F	BR-5035N	N/A	BM-3001N
TX330, TW330	BL-FP165A	BR-5021L	BK-4022	N/A, 3rd party recommended mount: Peerless PRS35
TX7156, TW1692	BL-FS220B	BR-5028L	BK-4021	BM-5001U
TS551, TX551	BL-FP180F	BR-3057L	BK-4018	BM-5001U
DS339, DX339	BL-FU190A	BR-5041L	N/A	BM-5001U
TW556-3D	BL-FU190A	BR-5041L	BK-4023	BM-5001U
TX612-3D	BL-FP230D	BR-3063N	BK-4028	BM-5001U
TW615-3D, TH1020	BL-FP230D	BR-5030L	BK-4028	BM-5001U
TX631-3D, TW631-3D	BL-FP240A	BR-3057L	BK-4023	BM-5001U
TX635-3D, TW635-3D	BL-FP240B	BR-5039L	BK-4023	BM-5001U
TX762, TW762	BL-FP280D	BR-5030L	BK-4028	BM-5001U
TX779P-3D, TH1060P	BL-FS300C	BR-5033L	BK-4501	BM-5001U
TX765W, TW766W	BL-FU280B	BR-5029L	N/A	BM-5001U
HD66	BL-FU185A	BR-3048N	BK-4006	BM-5001U
HD20	BL-FP230D	BR-3042B	BK-4028	BM-5001U
HD33	BL-FP230I	BR-3060B	N/A	BM-5001U
GT750E	BL-FP230H	BR-3059N	BK-4028	BM-5001U
TX785, TW775	BL-FP330B	BR-5032L	N/A	BM-5001U
TH7500-NL	BL-FP330C	BR-3055B	N/A	BM-9002N
TW865-NL	BL-FU400A	BR-7001N	N/A	TBD
ZX212ST, ZW212ST	N/A	BR-5038L	BK-4028	BM-3004U
PK120	N/A	N/A	BK-PK32S	BM-PK30TA
PK301+	N/A	BR-PK3AN	BK-PK33S	BM-PK30TA
PK320	N/A	BR-PK32N	BK-PK33S	BM-PK30TA
ML300, TL30W	N/A	BR-ML30N	BK-ML30S	N/A
ML500, TL50W	N/A	BR-ML50N	BK-ML50S	N/A



Contact Information

All specifications and pricing subject to change without notice.

3D content can be viewed with active shutter LCD glasses when the projector is connected to a computer with a compatible 3D graphics card.

Lamp life is dependent on many factors, including lamp mode, display mode, usage, environmental conditions and more. Lamp brightness can decrease over time.

www.OptomaUSA.com

Copyright © 2013 Optoma Technology, Inc.